



February 26st to March 08th, 2019
302 Species seen

Trip Leader: Noel Ureña

Cindy Kreticos

Rio Perlas Resort
Sueños Azul Lodge, Sarapiquí Lowlands.
Arenal Observatory Lodge, Arenal
Cerro Lodge, Tarcoles and Carara National Park
Savegre Mountain Lodge, San Gerardo de Dota

Status: Without Voucher (SC) Resident (R), Breeding Resident (RR), Residence Uncertain (R?),
Migrant (M) Migrant Status Uncertain (M?), Accidental (A) Endemic (END)

| English Common Name | Status | Scientific Name |
|------------------------------|--------|---------------------------------|
| TINAMIDAE | | |
| Great Tinamou | R | <i>Tinamus major</i> |
| ANATIDAE | | |
| Black-bellied Whistling-Duck | R | <i>Dendrocygna autumnalis</i> |
| Muscovy Duck | R | <i>Cairina moschata</i> |
| Blue-winged Teal | M | <i>Spatula discors</i> |
| CRACIDAE | | |
| Gray-headed Chachalaca | R | <i>Ortalis cinereiceps</i> |
| Crested Guan | R | <i>Penelope purpurascens</i> |
| Black Guan | R-END | <i>Chamaepetes unicolor</i> |
| Great Curassow | R | <i>Crax rubra</i> |
| ODONTOPHORIDAE | | |
| Buffy-crowned Wood-Partridge | R | <i>Dendrortyx leucophrys</i> |
| Marbled Wood-Quail | R | <i>Odontophorus gujanensis</i> |
| PODICIPEDIDAE | | |
| Least Grebe | R | <i>Tachybaptus dominicus</i> |
| COLUMBIDAE | | |
| Rock Pigeon | R | <i>Columba livia</i> |
| Pale-vented Pigeon | R | <i>Patagioenas cayennensis</i> |
| Red-billed Pigeon | R | <i>Patagioenas flavirostris</i> |

Status: Without Voucher (SC) Resident (R), Breeding Resident (RR), Residence Uncertain (R?),
Migrant (M) Migrant Status Uncertain (M?), Accidental (A) Endemic (END)

| English Common Name | Status | Scientific Name |
|------------------------------|---------------|---------------------------------|
| Band-tailed Pigeon | R | <i>Patagioenas fasciata</i> |
| Ruddy Pigeon | R | <i>Patagioenas subvinacea</i> |
| Short-billed Pigeon | R | <i>Patagioenas nigrirostris</i> |
| Inca Dove | R | <i>Columbina inca</i> |
| Ruddy Ground-Dove | R | <i>Columbina talpacoti</i> |
| White-tipped Dove | R | <i>Leptotila verreauxi</i> |
| Gray-chested Dove | R | <i>Leptotila cassinii</i> |
| White-winged Dove | R, M | <i>Zenaida asiatica</i> |
| CUCULIDAE | | |
| Squirrel Cuckoo | R | <i>Piaya cayana</i> |
| Striped Cuckoo | R | <i>Tapera naevia</i> |
| Smooth-billed Ani | R | <i>Crotophaga ani</i> |
| Groove-billed Ani | R | <i>Crotophaga sulcirostris</i> |
| CAPRIMULGIDAE | | |
| Lesser Nighthawk | R, M | <i>Chordeiles acutipennis</i> |
| Common Pauraque | R | <i>Nyctidromus albicollis</i> |
| Dusky Nightjar | R-END | <i>Antrostomus saturatus</i> |
| NYCTIBIIDAE | | |
| Great Potoo | R | <i>Nyctibius grandis</i> |
| APODIDAE | | |
| White-collared Swift | R | <i>Streptoprocne zonaris</i> |
| Vaux's Swift | R | <i>Chaetura vauxi</i> |
| Gray-rumped Swift | R | <i>Chaetura cinereiventris</i> |
| TROCHILIDAE | | |
| Green Hermit | R | <i>Phaethornis guy</i> |
| Lesser Violetear | R | <i>Colibri cyanotus</i> |
| Green-breasted Mango | R | <i>Anthracothorax prevostii</i> |
| Green Thorntail | R | <i>Discosura conversii</i> |
| Green-crowned Brilliant | R | <i>Heliodoxa jacula</i> |
| Talamanca Hummingbird | R-END | <i>Eugenes spectabilis</i> |
| Fiery-throated Hummingbird | R-END | <i>Panterpe insignis</i> |
| White-bellied Mountain-gem | R-END | <i>Lampornis hemileucus</i> |
| Purple-throated Mountain-gem | R-END | <i>Lampornis calolaemus</i> |
| Ruby-throated Hummingbird | M | <i>Archilochus colubris</i> |
| Volcano Hummingbird | R-END | <i>Selasphorus flammula</i> |
| Scintillant Hummingbird | R-END | <i>Selasphorus scintilla</i> |
| Violet-headed Hummingbird | R | <i>Klais guimeti</i> |

Status: Without Voucher (SC) Resident (R), Breeding Resident (RR), Residence Uncertain (R?), Migrant (M) Migrant Status Uncertain (M?), Accidental (A) Endemic (END)

| English Common Name | Status | Scientific Name |
|----------------------------|---------------|-----------------------------------|
| Scaly-breasted Hummingbird | R | <i>Phaeochroa cuvierii</i> |
| Violet Sabrewing | R | <i>Campylopterus hemileucurus</i> |
| Black-bellied Hummingbird | R-END | <i>Eupherusa nigriventris</i> |
| Coppery-headed Emerald | R-END | <i>Elvira cupreiceps</i> |
| Crowned Woodnymph | R | <i>Thalurania colombica</i> |
| Steely-vented Hummingbird | R | <i>Amazilia saucerrottei</i> |
| Rufous-tailed Hummingbird | R | <i>Amazilia tzacatl</i> |
| RECURVIROSTRIDAE | | |
| Black-necked Stilt | R, M | <i>Himantopus mexicanus</i> |
| CHARADRIIDAE | | |
| Southern Lapwing | R | <i>Vanellus chilensis</i> |
| Black-bellied Plover | M | <i>Pluvialis squatarola</i> |
| Semipalmated Plover | M | <i>Charadrius semipalmatus</i> |
| JACANIDAE | | |
| Northern Jacana | R | <i>Jacana spinosa</i> |
| SCOLOPACIDAE | | |
| Whimbrel | M | <i>Numenius phaeopus</i> |
| Ruddy Turnstone | M | <i>Arenaria interpres</i> |
| Sanderling | M | <i>Calidris alba</i> |
| Spotted Sandpiper | M | <i>Actitis macularius</i> |
| Willet | M | <i>Tringa semipalmata</i> |
| EURYPYGIDAE | | |
| Sunbittern | R | <i>Eurypyga helias</i> |
| FREGATIDAE | | |
| Magnificent Frigatebird | R | <i>Fregata magnificens</i> |
| PHALACROCORACIDAE | | |
| Neotropic Cormorant | R | <i>Phalacrocorax brasilianus</i> |
| PELECANIDAE | | |
| Brown Pelican | R | <i>Pelecanus occidentalis</i> |
| ARDEIDAE | | |
| Bare-throated Tiger-Heron | R | <i>Tigrisoma mexicanum</i> |
| Great Blue Heron | M | <i>Ardea herodias</i> |
| Great Egret | R, M | <i>Ardea alba</i> |
| Snowy Egret | R, M | <i>Egretta thula</i> |
| Little Blue Heron | R, M | <i>Egretta caerulea</i> |
| Tricolored Heron | R, M | <i>Egretta tricolor</i> |
| Cattle Egret | R, M | <i>Bubulcus ibis</i> |

Status:Without Voucher (SC) Resident(R), Breeding Resident (RR), Residence Uncertain (R?),
Migrant (M) Migrant Status Uncertain (M?), Accidental (A) Endemic (END)

| English Common Name | Status | Scientific Name |
|-----------------------------|---------------|----------------------------------|
| Green Heron | R, M | <i>Butorides virescens</i> |
| Yellow-crowned Night-Heron | R, M | <i>Nyctanassa violacea</i> |
| Boat-billed Heron | R | <i>Cochlearius cochlearius</i> |
| THRESKIORNITHIDAE | | |
| White Ibis | R | <i>Eudocimus albus</i> |
| Green Ibis | R | <i>Mesembrinibis cayennensis</i> |
| Roseate Spoonbill | R | <i>Platalea ajaja</i> |
| CATHARTIDAE | | |
| Black Vulture | R | <i>Coragyps atratus</i> |
| Turkey Vulture | R, M | <i>Cathartes aura</i> |
| PANDIONIDAE | | |
| Osprey | M | <i>Pandion haliaetus</i> |
| ACCIPITRIDAE | | |
| White-tailed Kite | R | <i>Elanus leucurus</i> |
| Hook-billed Kite | R | <i>Chondrohierax uncinatus</i> |
| Gray-headed Kite | R | <i>Leptodon cayanensis</i> |
| Swallow-tailed Kite | R, RR, M | <i>Elanoides forficatus</i> |
| Black Hawk-Eagle | R | <i>Spizaetus tyrannus</i> |
| Tiny Hawk | R | <i>Accipiter superciliosus</i> |
| Crane Hawk | R | <i>Geranospiza caerulescens</i> |
| Common Black Hawk | R | <i>Buteogallus anthracinus</i> |
| Roadside Hawk | R | <i>Rupornis magnirostris</i> |
| Semiplumbeous Hawk | R | <i>Leucopternis semiplumbeus</i> |
| Gray Hawk | R | <i>Buteo plagiatus</i> |
| Broad-winged Hawk | M | <i>Buteo platypterus</i> |
| Short-tailed Hawk | R, M | <i>Buteo brachyurus</i> |
| Swainson's Hawk | M | <i>Buteo swainsoni</i> |
| Red-tailed Hawk | R, M | <i>Buteo jamaicensis</i> |
| STRIGIDAE | | |
| Middle American Screech-Owl | R | <i>Megascops guatemalae</i> |
| Bare-shanked Screech-Owl | R-END | <i>Megascops clarkii</i> |
| Ferruginous Pygmy-Owl | R | <i>Glaucidium brasilianum</i> |
| TROGONIDAE | | |
| Slaty-tailed Trogon | R | <i>Trogon massena</i> |
| Black-headed Trogon | R | <i>Trogon melanocephalus</i> |
| Gartered Trogon | R | <i>Trogon caligatus</i> |
| Black-throated Trogon | R | <i>Trogon rufus</i> |

Status: Without Voucher (SC) Resident (R), Breeding Resident (RR), Residence Uncertain (R?),
Migrant (M) Migrant Status Uncertain (M?), Accidental (A) Endemic (END)

| English Common Name | Status | Scientific Name |
|-----------------------------|---------------|----------------------------------|
| Collared Trogon | R | <i>Trogon collaris</i> |
| Orange-bellied Trogon | R-END | <i>Trogon aurantiiventris</i> |
| Resplendent Quetzal | R | <i>Pharomachrus mocinno</i> |
| MOMOTIDAE | | |
| Rufous Motmot | R | <i>Baryphthengus martii</i> |
| Turquoise-browed Motmot | R | <i>Eumomota superciliosa</i> |
| ALCEDINIDAE | | |
| Ringed Kingfisher | R | <i>Megaceryle torquatus</i> |
| Belted Kingfisher | M | <i>Megaceryle alcyon</i> |
| Amazon Kingfisher | R | <i>Chloroceryle amazona</i> |
| Green Kingfisher | R | <i>Chloroceryle americana</i> |
| American Pygmy Kingfisher | R | <i>Chloroceryle aenea</i> |
| BUCCONIDAE | | |
| White-whiskered Puffbird | R | <i>Malacoptila panamensis</i> |
| White-fronted Nunbird | R | <i>Monasa morphoeus</i> |
| GALBULIDAE | | |
| Rufous-tailed Jacamar | R | <i>Galbula ruficauda</i> |
| SEMNORNITHIDAE | | |
| Prong-billed Barbet | R-END | <i>Semnornis frantzii</i> |
| RAMPHASTIDAE | | |
| Northern Emerald-Toucanet | R | <i>Aulacorhynchus prasinus</i> |
| Collared Aracari | R | <i>Pteroglossus torquatus</i> |
| Keel-billed Toucan | R | <i>Ramphastos sulfuratus</i> |
| Yellow-throated Toucan | R | <i>Ramphastos ambiguus</i> |
| PICIDAE | | |
| Acorn Woodpecker | R | <i>Melanerpes formicivorus</i> |
| Black-cheeked Woodpecker | R | <i>Melanerpes pucherani</i> |
| Red-crowned Woodpecker | R | <i>Melanerpes rubricapillus</i> |
| Hoffmann's Woodpecker | R-END | <i>Melanerpes hoffmannii</i> |
| Rufous-winged Woodpecker | R-END | <i>Piculus simplex</i> |
| Cinnamon Woodpecker | R | <i>Celeus loricatus</i> |
| Chestnut-colored Woodpecker | R | <i>Celeus castaneus</i> |
| Pale-billed Woodpecker | R | <i>Campephilus guatemalensis</i> |
| FALCONIDAE | | |
| Collared Forest-Falcon | R | <i>Micrastur semitorquatus</i> |
| Crested Caracara | R | <i>Caracara cheriway</i> |
| Yellow-headed Caracara | R | <i>Milvago chimachima</i> |

Status: Without Voucher (SC) Resident (R), Breeding Resident (RR), Residence Uncertain (R?), Migrant (M) Migrant Status Uncertain (M?), Accidental (A) Endemic (END)

| English Common Name | Status | Scientific Name |
|-----------------------------|---------------|------------------------------------|
| Laughing Falcon | R | <i>Herpetotheres cachinnans</i> |
| Merlin | M | <i>Falco columbarius</i> |
| PSITTACIDAE | | |
| Olive-throated Parakeet | R | <i>Eupsittula nana</i> |
| Orange-fronted Parakeet | R | <i>Eupsittula canicularis</i> |
| Great Green Macaw | R | <i>Ara ambiguus</i> |
| Scarlet Macaw | R | <i>Ara macao</i> |
| Crimson-fronted Parakeet | R-END | <i>Psittacara finschi</i> |
| Orange-chinned Parakeet | R | <i>Brotogeris jugularis</i> |
| Red-fronted Parrotlet | R-END | <i>Touit costaricensis</i> |
| Brown-hooded Parrot | R | <i>Pyrilia haematotis</i> |
| White-crowned Parrot | R | <i>Pionus senilis</i> |
| White-fronted Parrot | R | <i>Amazona albifrons</i> |
| Red-ored Parrot | R | <i>Amazona autumnalis</i> |
| Yellow-naped Parrot | R | <i>Amazona auropalliata</i> |
| THAMNOPHILIDAE | | |
| Barred Antshrike | R | <i>Thamnophilus doliatus</i> |
| Black-hooded Antshrike | R-END | <i>Thamnophilus bridgesi</i> |
| Black-crowned Antshrike | R | <i>Thamnophilus atrinucha</i> |
| Slaty Antwren | R | <i>Myrmotherula schisticolor</i> |
| Dot-winged Antwren | R | <i>Microrhopias quixensis</i> |
| Chestnut-backed Antbird | R | <i>Myrmeciza exsul</i> |
| Dull-mantled Antbird | R | <i>Myrmeciza laemosticta</i> |
| Spotted Antbird | R | <i>Hylophylax naevioides</i> |
| Bicolored Antbird | R | <i>Gymnopithys bicolor</i> |
| GRALLARIIDAE | | |
| Streak-chested Antpitta | R | <i>Hylopezus perspicillatus</i> |
| Ochre-breasted Antpitta | R | <i>Grallaricula flavirostris</i> |
| RHINOCRYOTIDAE | | |
| Silvery-fronted Tapaculo | R-END | <i>Scytalopus argentifrons</i> |
| FORMICARIIDAE | | |
| Black-faced Antthrush | R | <i>Formicarius analis</i> |
| FURNARIIDAE | | |
| Tawny-winged Woodcreeper | R | <i>Dendrocincla anabatina</i> |
| Wedge-billed Woodcreeper | R | <i>Glyphorhynchus spirurus</i> |
| Northern-barred Woodcreeper | R | <i>Dendrocolaptes sanctithomae</i> |
| Cocoa Woodcreeper | R | <i>Xiphorhynchus susurrans</i> |

Status:Without Voucher (SC) Resident(R), Breeding Resident (RR), Residence Uncertain (R?),
Migrant (M) Migrant Status Uncertain (M?), Accidental (A) Endemic (END)

| English Common Name | Status | Scientific Name |
|------------------------------|---------------|------------------------------------|
| Spotted Woodcreeper | R | <i>Xiphorhynchus erythropygius</i> |
| Streak-headed Woodcreeper | R | <i>Lepidocolaptes souleyetii</i> |
| Plain Xenops | R | <i>Xenops minutus</i> |
| Lineated Foliage-gleaner | R | <i>Syndactyla subalaris</i> |
| Streak-breasted Treehunter | R-END | <i>Thripadectes rufobrunneus</i> |
| Ruddy Treerunner | R-END | <i>Margarornis rubiginosus</i> |
| PIPRIDAE | | |
| White-ruffed Manakin | R | <i>Corapipo altera</i> |
| White-collared Manakin | R | <i>Manacus candei</i> |
| COTINGIDAE | | |
| Turquoise Cotinga | R-END | <i>Cotinga ridgwayi</i> |
| TITYRIDAE | | |
| Masked Tityra | R | <i>Tityra semifasciata</i> |
| Black-crowned Tityra | R | <i>Tityra inquisitor</i> |
| Cinnamon Becard | R | <i>Pachyramphus cinnamomeus</i> |
| White-winged Becard | R | <i>Pachyramphus polychopterus</i> |
| TYRANNIDAE | | |
| Golden-crowned Spadebill | R | <i>Platyrinchus coronatus</i> |
| Ochre-bellied Flycatcher | R | <i>Mionectes oleagineus</i> |
| Common Tody-Flycatcher | R | <i>Todirostrum cinereum</i> |
| Black-headed Tody-Flycatcher | R | <i>Todirostrum nigriceps</i> |
| Eye-ringed Flatbill | R | <i>Rhynchocyclus brevirostris</i> |
| Yellow-olive Flycatcher | R | <i>Tolmomyias sulphurescens</i> |
| Yellow-bellied Elaenia | R | <i>Elaenia flavogaster</i> |
| Mountain Elaenia | R | <i>Elaenia frantzii</i> |
| Torrent Tyrannulet | R | <i>Serpophaga cinerea</i> |
| Paltry Tyrannulet | R | <i>Zimmerius vilissimus</i> |
| Tufted Flycatcher | R | <i>Mitrephanes phaeocercus</i> |
| Tropical Pewee | R | <i>Contopus cinereus</i> |
| Black-capped Flycatcher | R-END | <i>Empidonax atriceps</i> |
| Black Phoebe | R | <i>Sayornis nigricans</i> |
| Long-tailed Tyrant | R | <i>Colonia colonus</i> |
| Rufous Mourner | R | <i>Rhytipterna holerythra</i> |
| Dusky-capped Flycatcher | R | <i>Myiarchus tuberculifer</i> |
| Panama Flycatcher | R | <i>Myiarchus panamensis</i> |
| Great Crested Flycatcher | M | <i>Myiarchus crinitus</i> |
| Brown-crested Flycatcher | R | <i>Myiarchus tyrannulus</i> |

Status: Without Voucher (SC) Resident (R), Breeding Resident (RR), Residence Uncertain (R?),
Migrant (M) Migrant Status Uncertain (M?), Accidental (A) Endemic (END)

| English Common Name | Status | Scientific Name |
|-------------------------------|---------------|-----------------------------------|
| Great Kiskadee | R | <i>Pitangus sulphuratus</i> |
| Boat-billed Flycatcher | R | <i>Megarynchus pitangua</i> |
| Social Flycatcher | R | <i>Myiozetetes similis</i> |
| Gray-capped Flycatcher | R | <i>Myiozetetes granadensis</i> |
| White-ringed Flycatcher | R | <i>Conopias albovittatus</i> |
| Streaked Flycatcher | R, RR, M | <i>Myiodynastes maculatus</i> |
| Piratic Flycatcher | RR, M | <i>Legatus leucophaeus</i> |
| Tropical Kingbird | R | <i>Tyrannus melancholicus</i> |
| VIREONIDAE | | |
| Tawny-crowned Greenlet | R | <i>Tunchiornis ochraceiceps</i> |
| Yellow-throated Vireo | M | <i>Vireo flavifrons</i> |
| Philadelphia Vireo | M | <i>Vireo philadelphicus</i> |
| Yellow-green Vireo | RR, M | <i>Vireo flavoviridis</i> |
| CORVIDAE | | |
| Azure-hooded Jay | R | <i>Cyanolyca cucullata</i> |
| White-throated Magpie-Jay | R | <i>Calocitta formosa</i> |
| Brown Jay | R | <i>Psilorhinus morio</i> |
| HIRUNDINIDAE | | |
| Mangrove Swallow | R | <i>Tachycineta albilinea</i> |
| Blue-and-white Swallow | R, M | <i>Pygochelidon cyanoleuca</i> |
| Southern Rough-winged Swallow | R | <i>Stelgidopteryx ruficollis</i> |
| Barn Swallow | M | <i>Hirundo rustica</i> |
| TROGLODYTIDAE | | |
| House Wren | R | <i>Troglodytes aedon</i> |
| Rufous-naped Wren | R | <i>Campylorhynchus rufinucha</i> |
| Black-throated Wren | R-END | <i>Pheugopedius atrogularis</i> |
| Rufous-and-white Wren | R | <i>Thryophilus rufalbus</i> |
| Banded Wren | R | <i>Thryophilus pleurostictus</i> |
| Stripe-breasted Wren | R-END | <i>Cantorchilus thoracicus</i> |
| Bay Wren | R | <i>Cantorchilus nigricapillus</i> |
| Riverside Wren | R-END | <i>Cantorchilus semibadius</i> |
| White-breasted Wood-Wren | R | <i>Henicorhina leucosticta</i> |
| Gray-breasted Wood-Wren | R | <i>Henicorhina leucophrys</i> |
| POLIOPTILIDAE | | |
| Long-billed Gnatwren | R | <i>Ramphocaenus melanurus</i> |
| Tropical Gnatcatcher | R | <i>Polioptila plumbea</i> |
| TURDIDAE | | |

Status: Without Voucher (SC) Resident (R), Breeding Resident (RR), Residence Uncertain (R?),
Migrant (M) Migrant Status Uncertain (M?), Accidental (A) Endemic (END)

| English Common Name | Status | Scientific Name |
|-----------------------------------|---------------|----------------------------------|
| Black-faced Solitaire | R-END | <i>Myadestes melanops</i> |
| Black-billed Nightingale-Thrush | R-END | <i>Catharus gracilirostris</i> |
| Slaty-backed Nightingale-Thrush | R | <i>Catharus fuscater</i> |
| Sooty Thrush | R-END | <i>Turdus nigrescens</i> |
| Clay-colored Thrush | R | <i>Turdus grayi</i> |
| MIMIDAE | | |
| Tropical Mockingbird | R | <i>Mimus gilvus</i> |
| PTILIOGONATIDAE | | |
| Black-and-yellow Silky-Flycatcher | R-END | <i>Phainoptila melanoxantha</i> |
| Long-tailed Silky-Flycatcher | R-END | <i>Ptiliogonys caudatus</i> |
| PASSERIDAE | | |
| House Sparrow | R | <i>Passer domesticus</i> |
| FRINGILLIDAE | | |
| Golden-browed Chlorophonia | R-END | <i>Chlorophonia callophrys</i> |
| Yellow-crowned Euphonia | R-END | <i>Euphonia luteicapilla</i> |
| Yellow-throated Euphonia | R | <i>Euphonia hirundinacea</i> |
| Olive-backed Euphonia | R | <i>Euphonia gouldi</i> |
| Tawny-capped Euphonia | R-END | <i>Euphonia anaeae</i> |
| PASSERELLIDAE | | |
| Yellow-thighed Finch | R-END | <i>Pselliophorus tibialis</i> |
| Large-footed Finch | R-END | <i>Pezopetes capitalis</i> |
| Orange-billed Sparrow | R | <i>Arremon aurantiirostris</i> |
| Sooty-faced Finch | R-END | <i>Arremon crassirostris</i> |
| Chestnut-capped Brushfinch | R | <i>Arremon brunneinucha</i> |
| Black-striped Sparrow | R | <i>Arremonops conirostris</i> |
| White-eared Ground-Sparrow | R | <i>Melospiza leucotis</i> |
| Cabanis's Ground-Sparrow | R-END | <i>Melospiza cabanisi</i> |
| Rufous-collared Sparrow | R | <i>Zonotrichia capensis</i> |
| Common Chlorospingus | R | <i>Chlorospingus flavopectus</i> |
| Sooty-capped Chlorospingus | R-END | <i>Chlorospingus pileatus</i> |
| ICTERIIDAE | | |
| Yellow-breasted Chat | M | <i>Icteria virens</i> |
| ICTERIDAE | | |
| Chestnut-headed Oropendola | R | <i>Psarocolius wagleri</i> |
| Montezuma Oropendola | R | <i>Psarocolius montezuma</i> |
| Black-cowled Oriole | R | <i>Icterus prothemelas</i> |
| Baltimore Oriole | M | <i>Icterus galbula</i> |

Status: Without Voucher (SC) Resident (R), Breeding Resident (RR), Residence Uncertain (R?), Migrant (M) Migrant Status Uncertain (M?), Accidental (A) Endemic (END)

| English Common Name | Status | Scientific Name |
|----------------------------|---------------|-----------------------------------|
| Red-winged Blackbird | R | <i>Agelaius phoeniceus</i> |
| Shiny Cowbird | R | <i>Molothrus bonariensis</i> |
| Bronzed Cowbird | R | <i>Molothrus aeneus</i> |
| Melodious Blackbird | R | <i>Dives dives</i> |
| Great-tailed Grackle | R | <i>Quiscalus mexicanus</i> |
| PARULIDAE | | |
| Black-and-white Warbler | M | <i>Mniotilta varia</i> |
| Flame-throated Warbler | R-END | <i>Oreothlypis gutturalis</i> |
| Tennessee Warbler | M | <i>Oreothlypis peregrina</i> |
| Tropical Parula | R | <i>Setophaga pitiayumi</i> |
| Yellow Warbler | R, M | <i>Setophaga petechia</i> |
| Chestnut-sided Warbler | M | <i>Setophaga pensylvanica</i> |
| Buff-rumped Warbler | R | <i>Myiothlypis fulvicauda</i> |
| Black-cheeked Warbler | R-END | <i>Basileuterus melanogenys</i> |
| Costa Rican Warbler | R-END | <i>Basileuterus melanotis</i> |
| Slate-throated Redstart | R | <i>Myioborus miniatus</i> |
| Collared Redstart | R-END | <i>Myioborus torquatus</i> |
| MITROSPINGIDAE | | |
| Dusky-faced Tanager | R | <i>Mitrospingus cassinii</i> |
| CARDINALIDAE | | |
| Summer Tanager | M | <i>Piranga rubra</i> |
| Flame-colored Tanager | R | <i>Piranga bidentata</i> |
| Red-throated Ant-Tanager | R | <i>Habia fuscicauda</i> |
| Carmioli's Tanager | R | <i>Chlorothraupis carmioli</i> |
| Black-faced Grosbeak | R | <i>Caryothraustes poliogaster</i> |
| Rose-breasted Grosbeak | M | <i>Pheucticus ludovicianus</i> |
| Blue-black Grosbeak | R | <i>Cyanocopsa cyanooides</i> |
| THRAUPIDAE | | |
| Blue-gray Tanager | R | <i>Thraupis episcopus</i> |
| Palm Tanager | R | <i>Thraupis palmarum</i> |
| Golden-hooded Tanager | R | <i>Tangara larvata</i> |
| Spangle-cheeked Tanager | R-END | <i>Tangara dowii</i> |
| Bay-headed Tanager | R | <i>Tangara gyrola</i> |
| Emerald Tanager | R | <i>Tangara florida</i> |
| Silver-throated Tanager | R | <i>Tangara icterocephala</i> |
| Slaty Flowerpiercer | R-END | <i>Diglossa plumbea</i> |
| Green Honeycreeper | R | <i>Chlorophanes spiza</i> |

Status: Without Voucher (SC) Resident (R), Breeding Resident (RR), Residence Uncertain (R?), Migrant (M) Migrant Status Uncertain (M?), Accidental (A) Endemic (END)

| English Common Name | Status | Scientific Name |
|----------------------------|---------------|-----------------------------------|
| Black-and-yellow Tanager | R-END | <i>Chrysothlypis chrysomelas</i> |
| Gray-headed Tanager | R | <i>Eucometis penicillata</i> |
| Crimson-collared Tanager | R | <i>Ramphocelus sanguinolentus</i> |
| Scarlet-rumped Tanager | R | <i>Ramphocelus passerinii</i> |
| Red-legged Honeycreeper | R | <i>Cyanerpes cyaneus</i> |
| Scarlet-thighed Dacnis | R | <i>Dacnis venusta</i> |
| Bananaquit | R | <i>Coereba flaveola</i> |
| Yellow-faced Grassquit | R | <i>Tiaris olivaceus</i> |
| Variable Seedeater | R | <i>Sporophila corvina</i> |
| Black-headed Saltator | R | <i>Saltator atriceps</i> |
| Buff-throated Saltator | R | <i>Saltator maximus</i> |

Other Costa Rican wildlife!

MAMMALS

| | |
|---------------------------------|------------------------------|
| Central American Woolly Opossum | <i>Caluromys derbianus</i> |
| Northern Tamandua | <i>Tamandua mexicana</i> |
| Central American Spider Monkey | <i>Ateles geoffroyi</i> |
| Red-tailed Squirrel | <i>Sciurus granatensis</i> |
| Variiegated Squirrel | <i>Sciurus variegatoides</i> |
| Central American Agouti | <i>Dasyprocta punctata</i> |
| Paca | <i>Agouti paca</i> |
| Dice's Cottontail | <i>Sylvilagus dicei</i> |
| White-nosed Coati | <i>Nasua narica</i> |
| Collared Peccary | <i>Tayassu tajacu</i> |
| Red Brocket Deer | <i>Mazama americana</i> |

REPTILES AND AMPHIBIANS

| | |
|-----------------------------|--------------------------------|
| Emerald Basilisk | <i>Basiliscus plumifrons</i> |
| Common Basilisk (Pacific) | <i>Basiliscus basiliscus</i> |
| Strawberry Poison-dart Frog | <i>Oophaga pumilio</i> |
| Green Iguana | <i>Iguana iguana</i> |
| Central American Ameiva | <i>Ameiva festiva</i> |
| Spiny Lizard | <i>Sceloporus malachiticus</i> |
| American Crocodile | <i>Crocodylus acutus</i> |
| Spectacled Caiman | <i>Caiman crocodilus</i> |
| Black River Turtle | <i>Rhinoclemmys funerea</i> |
| Eyelash Pit-Viper | <i>Bothriechis schlegelii</i> |