



Tropical Feathers®

Leila Javitch & Maggie Bradley
Carol McMillan & Irene Bareis
Kathy Drake , Wolfgang Demisch, Ardith Bondi
Susan Schuur, Joe Giunta (Tour Leader)

Jan 29th - Feb 06th , 2014 / 281 Species Seen
Guide: Noel Ureña

Talari Mountain Lodge, San Isidro de El General
Las Cruces Biological Station, San Vito
Esquinas Rainforest Lodge, La Gamba
Sueños del Bosque Lodge, San Gerardo de Dota

Status: Without Voucher (**SC**) Resident(**R**), Breeding Resident (**RR**),
Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**),
Accidental (**A**). Endemic (**END**)

| <i>English Common Name</i> | <i>Scientific Name</i> | <i>Status</i> |
|------------------------------|--------------------------------|---------------|
| TINAMIDAE | | |
| Great Tinamou | <i>Tinamus major</i> | R |
| ANATIDAE | | |
| Black-bellied Whistling-Duck | <i>Dendrocygna autumnalis</i> | R |
| Blue-winged Teal | <i>Anas discors</i> | M |
| CRACIDAE | | |
| Gray-headed Chachalaca | <i>Ortalis cinereiceps</i> | R |
| Crested Guan | <i>Penelope purpurascens</i> | R |
| Great Curassow | <i>Crax rubra</i> | R |
| ODONTOPHORIDAE | | |
| Marbled Wood-Quail | <i>Odontophorus gujanensis</i> | R |
| CICONIIDAE | | |
| Wood Stork | <i>Mycteria americana</i> | R, M |

Status: Without Voucher (**SC**) Resident (**R**), Breeding Resident (**RR**),
 Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**),
 Accidental (**A**). Endemic (**END**)

| <i>English Common Name</i> | <i>Scientific Name</i> | <i>Status</i> |
|----------------------------|--------------------------------|---------------|
| Magnificent Frigatebird | <i>Fregata magnificens</i> | R |
| ANHINGIDAE | | |
| Anhinga | <i>Anhinga anhinga</i> | R |
| PELECANIDAE | | |
| Brown Pelican | <i>Pelecanus occidentalis</i> | R |
| ARDEIDAE | | |
| Bare-throated Tiger-Heron | <i>Tigrisoma mexicanum</i> | R |
| Great Blue Heron | <i>Ardea herodias</i> | M |
| Great Egret | <i>Ardea alba</i> | R, M |
| Snowy Egret | <i>Egretta thula</i> | R, M |
| Little Blue Heron | <i>Egretta caerulea</i> | R, M |
| Cattle Egret | <i>Bubulcus ibis</i> | R, M |
| Green Heron | <i>Butorides virescens</i> | R, M |
| THRESKIORNITHIDAE | | |
| White Ibis | <i>Eudocimus albus</i> | R |
| CATHARTIDAE | | |
| Black Vulture | <i>Coragyps atratus</i> | R |
| Turkey Vulture | <i>Cathartes aura</i> | R, M |
| King Vulture | <i>Sarcoramphus papa</i> | R |
| PANDIONIDAE | | |
| Osprey | <i>Pandion haliaetus</i> | M |
| ACCIPITRIDAE | | |
| Swallow-tailed Kite | <i>Elanoides forficatus</i> | R, RR, M |
| White-tailed Kite | <i>Elanus leucurus</i> | R |
| Double-toothed Kite | <i>Harpagus bidentatus</i> | R |
| Common Black-Hawk | <i>Buteogallus anthracinus</i> | R |
| Roadside Hawk | <i>Buteo magnirostris</i> | R |
| Broad-winged Hawk | <i>Buteo platypterus</i> | M |

Status: Without Voucher (**SC**) Resident (**R**), Breeding Resident (**RR**),
 Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**),
 Accidental (**A**). Endemic (**END**)

| <i>English Common Name</i> | <i>Scientific Name</i> | <i>Status</i> |
|----------------------------|---------------------------------|---------------|
| Red-tailed Hawk | <i>Buteo jamaicensis</i> | R, M |
| Black Hawk-Eagle | <i>Spizaetus tyrannus</i> | R |
| RALLIDAE | | |
| White-throated Crane | <i>Laterallus albigularis</i> | R |
| Gray-necked Wood-Rail | <i>Aramides cajanea</i> | R |
| Purple Gallinule | <i>Porphyrio martinica</i> | R |
| Common Gallinule | <i>Gallinula galeata</i> | R, M? |
| CHARADRIIDAE | | |
| Southern Lapwing | <i>Vanellus chilensis</i> | R |
| JACANIDAE | | |
| Northern Jacana | <i>Jacana spinosa</i> | R |
| SCOLOPACIDAE | | |
| Spotted Sandpiper | <i>Actitis macularius</i> | M |
| Solitary Sandpiper | <i>Tringa solitaria</i> | M |
| Willet | <i>Tringa semipalmata</i> | M |
| Lesser Yellowlegs | <i>Tringa flavipes</i> | M |
| Whimbrel | <i>Numenius phaeopus</i> | M |
| Least Sandpiper | <i>Calidris minutilla</i> | M |
| COLUMBIDAE | | |
| Rock Pigeon | <i>Columba livia</i> | R |
| Pale-vented Pigeon | <i>Patagioenas cayennensis</i> | R |
| Scaled Pigeon | <i>Patagioenas speciosa</i> | R |
| Red-billed Pigeon | <i>Patagioenas flavirostris</i> | R |
| Ruddy Pigeon | <i>Patagioenas subvinacea</i> | R |
| White-winged Dove | <i>Zenaida asiatica</i> | R, M |
| Ruddy Ground-Dove | <i>Columbina talpacoti</i> | R |
| Blue Ground-Dove | <i>Claravis pretiosa</i> | R |
| White-tipped Dove | <i>Leptotila verreauxi</i> | R |

Status: Without Voucher (**SC**) Resident(**R**), Breeding Resident (**RR**),
 Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**),
 Accidental (**A**). Endemic (**END**)

| <i>English Common Name</i> | <i>Scientific Name</i> | <i>Status</i> |
|-----------------------------|-----------------------------------|---------------|
| Gray-chested Dove | <i>Leptotila cassinii</i> | R |
| Ruddy Quail-Dove | <i>Geotrygon montana</i> | R |
| CUCULIDAE | | |
| Squirrel Cuckoo | <i>Piaya cayana</i> | R |
| Mangrove Cuckoo | <i>Coccyzus minor</i> | R?, M |
| Smooth-billed Ani | <i>Crotophaga ani</i> | R |
| STRIGIDAE | | |
| Tropical Screech-Owl | <i>Megascops choliba</i> | R |
| Spectacled Owl | <i>Pulsatrix perspicillata</i> | R |
| Striped Owl | <i>Pseudoscops clamator</i> | R |
| CAPRIMULGIDAE | | |
| Lesser Nighthawk | <i>Chordeiles acutipennis</i> | R, M |
| Common Pauraque | <i>Nyctidromus albicollis</i> | R |
| Dusky Nightjar | <i>Caprimulgus saturatus</i> | R-END |
| NYCTIBIIDAE | | |
| Common Potoo | <i>Nyctibius griseus</i> | R |
| APODIDAE | | |
| Vaux's Swift | <i>Chaetura vauxi</i> | R |
| Costa Rican Swift | <i>Chaetura fumosa</i> | R-END |
| Lesser Swallow-tailed Swift | <i>Panyptila cayennensis</i> | R |
| TROCHILIDAE | | |
| White-necked Jacobin☐ | <i>Florisuga mellivora</i> ☐ | R |
| Bronzy Hermit☐ | <i>Glaucis aeneus</i> ☐ | R |
| Green Hermit☐ | <i>Phaethornis guy</i> ☐ | R |
| Long-billed Hermit☐ | <i>Phaethornis longirostris</i> ☐ | R |
| Stripe-throated Hermit☐ | <i>Phaethornis striigularis</i> ☐ | R |
| Green Violetear☐ | <i>Colibri thalassinus</i> ☐ | R |
| White-crested Coquette☐ | <i>Lophornis adorabilis</i> ☐ | R - END |

Status: Without Voucher (**SC**) Resident (**R**), Breeding Resident (**RR**),
 Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**),
 Accidental (**A**). Endemic (**END**)

| <i>English Common Name</i> | <i>Scientific Name</i> | <i>Status</i> |
|-------------------------------|------------------------------------|---------------|
| Magnificent Hummingbird ☐ | <i>Eugenes fulgens</i> ☐ | R |
| Fiery-throated Hummingbird ☐ | <i>Panterpe insignis</i> ☐ | R - END |
| White-throated Mountain-gem ☐ | <i>Lampornis castaneiventris</i> ☐ | R - END |
| Ruby-throated Hummingbird ☐ | <i>Archilochus colubris</i> ☐ | M |
| Volcano Hummingbird ☐ | <i>Selasphorus flammula</i> ☐ | R - END |
| Scintillant Hummingbird ☐ | <i>Selasphorus scintilla</i> ☐ | R - END |
| Garden Emerald ☐ | <i>Chlorostilbon assimilis</i> ☐ | R - END |
| Violet-headed Hummingbird ☐ | <i>Klais guimeti</i> ☐ | R |
| Scaly-breasted Hummingbird ☐ | <i>Phaeochroa cuvierii</i> ☐ | R |
| Stripe-tailed Hummingbird ☐ | <i>Eupherusa eximia</i> ☐ | R |
| White-tailed Emerald ☐ | <i>Elvira chionura</i> ☐ | R - END |
| Crowned Woodnymph | <i>Thalurania colombica</i> ☐ | R |
| Charming Hummingbird ☐ | <i>Amazilia decora</i> ☐ | R - END |
| Mangrove Hummingbird ☐ | <i>Amazilia boucardi</i> ☐ | R - END |
| Snowy-bellied Hummingbird ☐ | <i>Amazilia edward</i> ☐ | R - END |
| Rufous-tailed Hummingbird ☐ | <i>Amazilia tzacatl</i> ☐ | R |
| TROGONIDAE | | |
| Slaty-tailed Trogon | <i>Trogon massena</i> | R |
| Baird's Trogon | <i>Trogon bairdii</i> | R - END |
| Gartered Trogon | <i>Trogon caligatus</i> | R |
| Black-throated Trogon | <i>Trogon rufus</i> | R |
| Collared Trogon | <i>Trogon collaris</i> | R |
| Resplendent Quetzal | <i>Pharomachrus mocinno</i> | R |
| MOMOTIDAE | | |
| Blue-crowned Motmot | <i>Momotus momota</i> | R |
| ALCEDINIDAE | | |
| Ringed Kingfisher | <i>Megaceryle torquatus</i> | R |
| Amazon Kingfisher | <i>Chloroceryle amazona</i> | R |

Status: Without Voucher (**SC**) Resident (**R**), Breeding Resident (**RR**),
 Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**),
 Accidental (**A**). Endemic (**END**)

| <i>English Common Name</i> | <i>Scientific Name</i> | <i>Status</i> |
|----------------------------|----------------------------------|---------------|
| Green Kingfisher | <i>Chloroceryle americana</i> | R |
| American Pygmy Kingfisher | <i>Chloroceryle aenea</i> | R |
| GALBULIDAE | | |
| Rufous-tailed Jacamar | <i>Galbula ruficauda</i> | R |
| RAMPHASTIDAE | | |
| Fiery-billed Aracari | <i>Pteroglossus frantzii</i> | R-END |
| Black-mandibled Toucan | <i>Ramphastos ambiguus</i> | R |
| PICIDAE | | |
| Olivaceous Piculet | <i>Picumnus olivaceus</i> | R |
| Acorn Woodpecker | <i>Melanerpes formicivorus</i> | R |
| Golden-naped Woodpecker | <i>Melanerpes chrysauchen</i> | R-END |
| Red-crowned Woodpecker | <i>Melanerpes rubricapillus</i> | R |
| Hoffmann's Woodpecker | <i>Melanerpes hoffmannii</i> | R-END |
| Lineated Woodpecker | <i>Dryocopus lineatus</i> | R |
| Pale-billed Woodpecker | <i>Campephilus guatemalensis</i> | R |
| FALCONIDAE | | |
| Crested Caracara | <i>Caracara cheriway</i> | R |
| Yellow-headed Caracara | <i>Milvago chimachima</i> | R |
| Laughing Falcon | <i>Herpetotheres cachinnans</i> | R |
| Peregrine Falcon | <i>Falco peregrinus</i> | M |
| PSITTACIDAE | | |
| Sulfur-winged Parakeet | <i>Pyrrhura hoffmanni</i> | R-END |
| Crimson-fronted Parakeet | <i>Aratinga finschi</i> | R-END |
| Brown-throated Parakeet | <i>Aratinga pertinax</i> | R |
| Scarlet Macaw | <i>Ara macao</i> | R |
| Orange-chinned Parakeet | <i>Brotogeris jugularis</i> | R |
| Red-fronted Parrotlet | <i>Touit costaricensis</i> | R-END |
| Brown-hooded Parrot | <i>Pytilia haematotis</i> | R |

Status: Without Voucher (**SC**) Resident (**R**), Breeding Resident (**RR**),
 Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**),
 Accidental (**A**). Endemic (**END**)

| <i>English Common Name</i> | <i>Scientific Name</i> | <i>Status</i> |
|--------------------------------|--------------------------------------|---------------|
| Blue-headed Parrot | <i>Pionus menstruus</i> | R |
| White-crowned Parrot | <i>Pionus senilis</i> | R |
| Red-lored Parrot | <i>Amazona autumnalis</i> | R |
| Mealy Parrot | <i>Amazona farinosa</i> | R |
| THAMNOPHILIDAE | | |
| Black-hooded Antshrike | <i>Thamnophilus bridgesi</i> | R-END |
| Dot-winged Antwren | <i>Microrhophias quixensis</i> | R |
| Chestnut-backed Antbird | <i>Myrmeciza exsul</i> | R |
| FURNARIIDAE | | |
| Wedge-billed Woodcreeper□ | <i>Glyphorhynchus spirurus</i> □ | R |
| Cocoa Woodcreeper□ | <i>Xiphorhynchus susurrans</i> □ | R |
| Black-striped Woodcreeper□ | <i>Xiphorhynchus lachrymosus</i> □ | R |
| Spotted Woodcreeper□ | <i>Xiphorhynchus erythropygius</i> □ | R |
| Streak-headed Woodcreeper□ | <i>Lepidocolaptes souleyetii</i> □ | R |
| Spot-crowned Woodcreeper□ | <i>Lepidocolaptes affinis</i> □ | R |
| Plain Xenops□ | <i>Xenops minutus</i> □ | R |
| Striped Woodhaunter | <i>Hyloctistes subulatus</i> □ | R |
| Buff-throated Foliage-gleaner□ | <i>Automolus ochrolaemus</i> □ | R |
| Ruddy Treerunner□ | <i>Margarornis rubiginosus</i> □ | R-END |
| Red-faced Spinetail□ | <i>Cranioleuca erythrops</i> □ | R |
| Pale-breasted Spinetail□ | <i>Synallaxis albescens</i> □ | R |
| TYRANNIDAE | | |
| Yellow Tyrannulet | <i>Capsiempis flaveola</i> | R |
| Yellow-crowned Tyrannulet | <i>Tyrannulus elatus</i> | R |
| Yellow-bellied Elaenia | <i>Elaenia flavogaster</i> | R |
| Lesser Elaenia | <i>Elaenia chiriquensis</i> | R |
| Mountain Elaenia | <i>Elaenia frantzii</i> | R |
| Torrent Tyrannulet | <i>Serpophaga cinerea</i> | R |

Status: Without Voucher (**SC**) Resident (**R**), Breeding Resident (**RR**),
 Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**),
 Accidental (**A**). Endemic (**END**)

| <i>English Common Name</i> | <i>Scientific Name</i> | <i>Status</i> |
|------------------------------|-----------------------------------|---------------|
| Ochre-bellied Flycatcher | <i>Mionectes oleagineus</i> | R |
| Paltry Tyrannulet | <i>Zimmerius vilissimus</i> | R |
| Slate-headed Tody-Flycatcher | <i>Poecilotriccus sylvia</i> | R |
| Common Tody-Flycatcher | <i>Todirostrum cinereum</i> | R |
| Eye-ringed Flatbill | <i>Rhynchocyclus brevirostris</i> | R |
| Yellow-olive Flycatcher | <i>Tolmomyias sulphurescens</i> | R |
| Sulphur-rumped Flycatcher | <i>Myiobius sulphureipygius</i> | R |
| Tufted Flycatcher | <i>Mitrephanes phaeocercus</i> | R |
| Dark Pewee | <i>Contopus lugubris</i> | R-END |
| Yellow-bellied Flycatcher | <i>Empidonax flaviventris</i> | M |
| Yellowish Flycatcher | <i>Empidonax flavescens</i> | R |
| Black-capped Flycatcher | <i>Empidonax atriceps</i> | R-END |
| Bright-rumped Attila | <i>Attila spadiceus</i> | R |
| Dusky-capped Flycatcher | <i>Myiarchus tuberculifer</i> | R |
| Panama Flycatcher | <i>Myiarchus panamensis</i> | R |
| Great Kiskadee | <i>Pitangus sulphuratus</i> | R |
| Boat-billed Flycatcher | <i>Megarhynchus pitangua</i> | R |
| Rusty-margined Flycatcher | <i>Myiozetetes cayanensis</i> | R |
| Social Flycatcher | <i>Myiozetetes similis</i> | R |
| Gray-capped Flycatcher | <i>Myiozetetes granadensis</i> | R |
| Streaked Flycatcher | <i>Myiodynastes maculatus</i> | R, RR, M |
| Piratic Flycatcher | <i>Legatus leucophaeus</i> | RR, M |
| Tropical Kingbird | <i>Tyrannus melancholicus</i> | R |
| Fork-tailed Flycatcher | <i>Tyrannus savana</i> | R, M? |
| TYTIRIDAE | | |
| Masked Tityra | <i>Tityra semifasciata</i> | R |
| Black-crowned Tityra | <i>Tityra inquisitor</i> | R |
| White-winged Becard | <i>Pachyramphus polychopterus</i> | R |

Status: Without Voucher (**SC**) Resident (**R**), Breeding Resident (**RR**),
 Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**),
 Accidental (**A**). Endemic (**END**)

| <i>English Common Name</i> | <i>Scientific Name</i> | <i>Status</i> |
|-------------------------------|------------------------------------|---------------|
| Rose-throated Becard | <i>Pachyramphus aglaiae</i> | R |
| Turquoise Cotinga | <i>Cotinga ridgwayi</i> | R-END |
| Rufous Piha | <i>Lipaugus unirufus</i> | R |
| PIPRIDAE | | |
| Red-capped Manakin | <i>Pipra mentalis</i> | R |
| Orange-collared Manakin | <i>Manacus aurantiacus</i> | R-END |
| VIREONIDAE | | |
| Yellow-throated Vireo | <i>Vireo flavifrons</i> | M |
| Yellow-winged Vireo | <i>Vireo carmioli</i> | R-END |
| Brown-capped Vireo | <i>Vireo leucophrys</i> | R |
| Philadelphia Vireo | <i>Vireo philadelphicus</i> | M |
| Yellow-green Vireo | <i>Vireo flavoviridis</i> | RR, M |
| Scrub Greenlet | <i>Hylophilus flavipes</i> | R |
| Tawny-crowned Greenlet | <i>Hylophilus ochraceiceps</i> | R |
| Lesser Greenlet | <i>Hylophilus decurtatus</i> | R |
| CORVIDAE | | |
| Brown Jay | <i>Psilorhinus morio</i> | R |
| HIRUNDINIDAE | | |
| Gray-breasted Martin | <i>Progne chalybea</i> | R |
| Mangrove Swallow | <i>Tachycineta albilinea</i> | R |
| Blue-and-white Swallow | <i>Pygochelidon cyanoleuca</i> | R, M |
| Southern Rough-winged Swallow | <i>Stelgidopteryx ruficollis</i> | R |
| Barn Swallow | <i>Hirundo rustica</i> | M |
| TROGLODYTIDAE | | |
| House Wren□ | <i>Troglodytes aedon</i> □ | R |
| Ochraceous Wren□ | <i>Troglodytes ochraceus</i> □ | R-END |
| Timberline Wren□ | <i>Thryorchilus browni</i> □ | R-END |
| Rufous-naped Wren□ | <i>Campylorhynchus rufinucha</i> □ | R |

Status: Without Voucher (**SC**) Resident (**R**), Breeding Resident (**RR**),
 Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**),
 Accidental (**A**). Endemic (**END**)

| <i>English Common Name</i> | <i>Scientific Name</i> | <i>Status</i> |
|-----------------------------------|---------------------------------------|---------------|
| Rufous-breasted Wren □ | <i>Pheugopedius rutilus</i> □ | R |
| Black-bellied Wren □ | <i>Pheugopedius fasciatoventris</i> □ | R-END |
| Plain Wren □ | <i>Cantorchilus modestus</i> □ | R |
| Riverside Wren □ | <i>Cantorchilus semibadius</i> □ | R-END |
| Gray-breasted Wood-Wren □ | <i>Henicorhina leucophrys</i> □ | R |
| POLIOPTILIDAE | | |
| Tropical Gnatcatcher | <i>Polioptila plumbea</i> | R |
| TURDIDAE | | |
| Black-billed Nightingale-Thrush | <i>Catharus gracilirostris</i> | R-END |
| Ruddy-capped Nightingale-Thrush | <i>Catharus frantzii</i> | R |
| Wood Thrush | <i>Hylocichla mustelina</i> | M |
| Sooty Thrush | <i>Turdus nigrescens</i> | R-END |
| Mountain Thrush | <i>Turdus plebejus</i> | R |
| Clay-colored Thrush | <i>Turdus grayi</i> | R |
| White-throated Thrush | <i>Turdus assimilis</i> | R |
| MIMIDAE | | |
| Tropical Mockingbird | <i>Mimus gilvus</i> | R |
| PTILOGONATIDAE | | |
| Black-and-yellow Silky-Flycatcher | <i>Phainoptila melanoxantha</i> | R-END |
| Long-tailed Silky-Flycatcher | <i>Ptilogonys caudatus</i> | R-END |
| PARULIDAE | | |
| Louisiana Waterthrush | <i>Parkesia motacilla</i> | M |
| Northern Waterthrush | <i>Parkesia noveboracensis</i> | M |
| Black-and-white Warbler | <i>Mniotilta varia</i> | M |
| Prothonotary Warbler | <i>Protonotaria citrea</i> | M |
| Flame-throated Warbler | <i>Oreothlypis gutturalis</i> | R-END |
| Tennessee Warbler | <i>Oreothlypis peregrina</i> | M |
| Orange-crowned Warbler | <i>Oreothlypis celata</i> | M- SC |

Status: Without Voucher (**SC**) Resident(**R**), Breeding Resident (**RR**),
 Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**),
 Accidental (**A**). Endemic (**END**)

| <i>English Common Name</i> | <i>Scientific Name</i> | <i>Status</i> |
|--|----------------------------------|---------------|
| MacGillivray's Warbler | <i>Geothlypis tolmiei</i> | M |
| Mourning Warbler | <i>Geothlypis philadelphia</i> | M |
| American Redstart | <i>Setophaga ruticilla</i> | M |
| Yellow Warbler x (Mangrove) x both seen | <i>Setophaga petechia</i> | R, M |
| Chestnut-sided Warbler | <i>Setophaga pensylvanica</i> | M |
| Black-throated Green Warbler | <i>Setophaga virens</i> | M |
| Buff-rumped Warbler | <i>Myiothlypis fulvicauda</i> | R |
| Black-cheeked Warbler | <i>Basileuterus melanogenys</i> | R-END |
| Wilson's Warbler | <i>Cardellina pusilla</i> | M |
| Slate-throated Redstart | <i>Myioborus miniatus</i> | R |
| Collared Redstart | <i>Myioborus torquatus</i> | R-END |
| Genus Incertae Sedis (Bananaquit) | | |
| Bananaquit | <i>Coereba flaveola</i> | R |
| THRAUPIDAE | | |
| Cherries's Tanager | <i>Ramphocelus costaricensis</i> | R-END |
| Blue-gray Tanager | <i>Thraupis episcopus</i> | R |
| Palm Tanager | <i>Thraupis palmarum</i> | R |
| Golden-hooded Tanager | <i>Tangara larvata</i> | R |
| Speckled Tanager | <i>Tangara guttata</i> | R |
| Spangle-cheeked Tanager | <i>Tangara dowii</i> | R-END |
| Bay-headed Tanager | <i>Tangara gyrola</i> | R |
| Silver-throated Tanager | <i>Tangara icterocephala</i> | R |
| Scarlet-thighed Dacnis | <i>Dacnis venusta</i> | R |
| Green Honeycreeper | <i>Chlorophanes spiza</i> | R |
| Shining Honeycreeper | <i>Cyanerpes lucidus</i> | R |
| Red-legged Honeycreeper | <i>Cyanerpes cyaneus</i> | R |
| Genus Incertae Sedis (Saltator) | Genus Incertae Sedis | |
| Streaked Saltator | <i>Saltator striatipector</i> | R |

Status: Without Voucher (**SC**) Resident (**R**), Breeding Resident (**RR**),
 Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**),
 Accidental (**A**). Endemic (**END**)

| <i>English Common Name</i> | <i>Scientific Name</i> | <i>Status</i> |
|----------------------------|-----------------------------------|---------------|
| Grayish Saltator | <i>Saltator coerulescens</i> | R |
| Buff-throated Saltator | <i>Saltator maximus</i> | R |
| EMBERIZIDAE | | |
| Blue-black Grassquit | <i>Volatinia jacarina</i> | R |
| Variable Seedeater | <i>Sporophila americana</i> | R |
| White-collared Seedeater | <i>Sporophila torqueola</i> | R |
| Yellow-bellied Seedeater | <i>Sporophila nigricollis</i> | R |
| Thick-billed Seed-Finch | <i>Oryzoborus funereus</i> | R |
| Yellow-faced Grassquit | <i>Tiaris olivaceus</i> | R |
| Slaty Flowerpiercer | <i>Diglossa plumbea</i> | R-END |
| Yellow-thighed Finch | <i>Pselliophorus tibialis</i> | R-END |
| Large-footed Finch | <i>Pezopetes capitalis</i> | R-END |
| Orange-billed Sparrow | <i>Arremon aurantirostris</i> | R |
| Black-striped Sparrow | <i>Arremonops conirostris</i> | R |
| Rufous-collared Sparrow | <i>Zonotrichia capensis</i> | R |
| Common Bush-Tanager | <i>Chlorospingus ophthalmicus</i> | R |
| Sooty-capped Bush-Tanager | <i>Chlorospingus pileatus</i> | R-END |
| CARDINALIDAE | | |
| Summer Tanager | <i>Piranga rubra</i> | M |
| Flame-colored Tanager | <i>Piranga bidentata</i> | R |
| Black-cheeked Ant-Tanager | <i>Habia atrimaxillaris</i> | R-END |
| Rose-breasted Grosbeak | <i>Pheucticus ludovicianus</i> | M |
| Blue-black Grosbeak | <i>Cyanocompsa cyanoides</i> | R |
| ICTERIDAE | | |
| Red-breasted Blackbird | <i>Sturnella militaris</i> | R |
| Melodious Blackbird | <i>Dives dives</i> | R |
| Great-tailed Grackle | <i>Quiscalus mexicanus</i> | R |
| Bronzed Cowbird | <i>Molothrus aeneus</i> | R |

Status: Without Voucher (**SC**) Resident(**R**), Breeding Resident (**RR**),
 Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**),
 Accidental (**A**). Endemic (**END**)

| <i>English Common Name</i> | <i>Scientific Name</i> | <i>Status</i> |
|----------------------------|---------------------------------|---------------|
| Giant Cowbird | <i>Molothrus oryzivorus</i> | R |
| Baltimore Oriole | <i>Icterus galbula</i> | M |
| Yellow-billed Cacique | <i>Amblycercus holosericeus</i> | R |
| Scarlet-rumped Cacique | <i>Cacicus uropygialis</i> | R |
| Crested Oropendola | <i>Psarocolius decumanus</i> | R |
| Montezuma Oropendola | <i>Psarocolius montezuma</i> | R |
| FRINGILLIDAE | | |
| Yellow-crowned Euphonia | <i>Euphonia luteicapilla</i> | R-END |
| Thick-billed Euphonia | <i>Euphonia laniirostris</i> | R |
| Spot-crowned Euphonia | <i>Euphonia imitans</i> | R-END |
| Yellow-bellied Siskin | <i>Spinus xanthogastrus</i> | R |
| PASSERIDAE | | |
| House Sparrow | <i>Passer domesticus</i> | R |

Other wildlife...

| <i>English Common Name</i> | <i>Scientific Name</i> |
|---------------------------------------|--------------------------------|
| Central American Squirrel Monkey | <i>Saimiri oerstedii</i> |
| White-faced / White-throated Capuchin | <i>Cebus capucinus</i> |
| Alfaro's Pigmy Squirrel | <i>Microsciurus alfari</i> |
| Red-tailed Squirrel | <i>Sciurus granatensis</i> |
| Variegated Squirrel | <i>Sciurus variegatoides</i> |
| Central American Agouti | <i>Dasyprocta punctata</i> |
| Kinkajou | <i>Potos flavus</i> |
| Green Spiny Lizard | <i>Sceloporus malachiticus</i> |
| American Crocodile | <i>Crocodylus acutus</i> |
| Spectacled Caiman | <i>Caiman crocodilus</i> |
| Fer-de-lance | <i>Bothrops asper</i> |

Status: Without Voucher (**SC**) Resident(**R**), Breeding Resident (**RR**),
Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**),
Accidental (**A**). Endemic (**END**)

English Common Name

Scientific Name

Status